What are the symptoms of autism in a 3-year-old?

Autism, eParent Connect, Featured Topics 07/24/2019

1. Differences in emotional expression Children with autism may not play with others. They may:

play alone
have no interest in socializing
avoid sharing toys
not understand turn-taking play
not respond to their name
not understand make-believe or "pretend" play

2. Social detachment

People with autism experience a full range of emotions, but they typically read and express them differently from others. An 3-year old with autism may:

have difficulty discussing or expressing their feelings have trouble understanding the feelings of others struggle to be soothed or comforted

2. Social detachment

People with autism experience a full range of emotions, but they typically read and express them differently from others. An 3-year old with autism may:

make facial expressions that may not match internal feelings

avoid physical contact with others

become rigid when hugged

show no emotion when a parent leaves the room

3. Communication difficulties

Autism is characterized by difficulty communicating. At 3 years of age, a child with autism may:

demonstrate delays or regression in speech and language skills

speak in a flat or sing-song manner not speak at all avoid eye contact

3. Communication difficulties

Autism is characterized by difficulty communicating. At 3 years of age, a child with autism may:

appear expressionless not answer questions appropriately repeat the words of others use words, phrases, or sounds repeatedly; echolalia

3. Communication difficulties

Autism is characterized by difficulty communicating. At 3 years of age, a child with autism may:

use the wrong pronouns, for example, "you" instead of "I" not use gestures, such as pointing or waving not respond to pointing not understand age-appropriate humor

4. Behaviors

Children with autism often display seemingly unusual or repetitive behaviors. They may:

flap their hands repeatedly
spin around
rock back and forth
appear fascinated with a particular toy or activity

4. Behaviors

Children with autism often display seemingly unusual or repetitive behaviors. They may:

have obsessive behaviors
line up toys in an ordered fashion
be hyperactive in certain situations
have a short attention span

4. Behaviors

Children with autism often display seemingly unusual or repetitive behaviors. They may:

insist on specific routines or rituals display agitation, anger, or frustration when someone disturbs their routine or ritual

5. Other signs

Autistic children often display seemingly unusual or repetitive behaviors. They may:

aggression impulsivity self-injuring intense reactions to sounds, smells, textures, colors, or tastes

5. Other signs

Autistic children often display seemingly unusual or repetitive behaviors. They may:

temper tantrums
unusual eating habits